DOCUMENT RESUME

ED 472 342 SE 065 958

AUTHOR	Weil, Aurelia; Russell, Larry
TITLE	Understanding Rates of Change.
PUB DATE	2002-00-00
NOTE	13p.; Paper presented at the Annual International Teachers' Teaching with Technology Conference (13th, Columbus, OH, March 16-18, 2001).
PUB TYPE	Guides - Classroom - Teacher (052) -- Speeches/Meeting Papers (150)
EDRS PRICE	EDRS Price MF01/PC01 Plus Postage.
DESCRIPTORS	*Temperature; *Educational Technology; *Graphing Calculators; Integrated Curriculum; Mathematics Instruction; *Physics; *Science Activities; Secondary Education
IDENTIFIERS	*Calculator Based Laboratories

ABSTRACT

This paper presents three activities on how to analyze rates of change in real-life situations using TI-83 calculators and computer-based laboratories. Activities include 24 hour temperature data, the temperature of a light bulb, and an M&M toss. Each section contains descriptions of equipment/materials, data collection, and data analysis. The document ends with "Families of Functions" activities. (YDS)

Reproductions supplied by EDRS are the best that can be made
from the original document.

ED 472 342

PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL HAS BEEN GRANTED BY

L. Russell

TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)

1



U.S. DEPARTMENT OF EDUCATION
Office of Educational Research and Improvement
EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)

☑ This document has been reproduced as received from the person or organization originating it.

☐ Minor changes have been made to improve reproduction quality.

• Points of view or opinions stated in this document do not necessarily represent official OERI position or policy.

UNDERSTANDING RATES OF CHANGE

TEACHERS TEACHING WITH TECHOLOGY INTERNATIONAL CONFERENCE

COLUMBUS, OHIO
MARCH 16, 2001

AURELIA WEIL
LARRY RUSSELL

COR JESU ACADEMY
10230 GRAVOIS RD.
ST. LOUIS, MO 63123
PHONE: (314) 842-1546
FAX: (636) 326-1895
akweil@worldnet.att.net
lpdrussell@yahoo.com

BEST COPY AVAILABLE

ED 465 958

ANALYZING RATES OF CHANGE IN REAL-LIFE SITUATIONS

24-HOUR TEMPERATURE DATA ACTIVITY

The purpose of this experiment is to collect temperature data over a 24-hour period.

EQUIPMENT: TI-83Plus, CBL, temperature probe, PHYSICS** program or application, link cord.

DATA COLLECTION:
Suggestion: Insert new batteries into the CBL or use the electrical adapter for your ViewScreen.

1. Securely join the TI-83 Plus and the CBL with the black link cord. Turn on the CBL.
2. Execute the Physics Program or Physics Application (Vernier). When the first screen below appears, choose **1:SET UP PROBES**. Then choose **1:ONE** for the number of probes. On the next screen, choose **6: TEMPERATURE.**







3. Plug the temperature probe into Channel 1, as directed.
4. Choose **1:USED STORED** on the Calibration submenu.
5. On the Main Menu Screen, choose **2:COLLECT DATA**.
6. Choose **2:TIME GRAPH** (see below):





7. Enter **900** for ENTER TIME BETWEEN SAMPLES IN SECONDS. (15 minutes). Press ⊆.
8. Enter **96** for ENTER NUMBER OF SAMPLES. (24 hours) Press ⊆.
9. Check your entries on the next screen and press ⊆.





BEST COPY AVAILABLE

10. Choose **1:USE TIME SETUP** on the Continue Menu if the information is correct. If there is an error, choose **2:MODIFY SETUP** and repeat Steps 7 – 9.

11. When you have positioned your equipment, press ⊆ to BEGIN DATA COLLECTION.

12. The PERFORMING EXPERIMENT screen will appear.







13. The next day, turn on the sameTI-83Plus and re-execute the Physics Program or Application. Choose **6:RETRIEVE DATA** from the Main Menu.

14. Make sure than the CBL shows DONE and press ⊆.

15. The program will indicate that TIME is in L1 and TEMPERATURE is in L2.





16. When you press ⊆ again, the graph of TEMPERATURE vs. TIME will appear.

DATA ANALYSIS

1. At what time was the temperature the highest? The lowest?

2. What was the average temperature for the 24 hour period?

3. Were there any times when the temperature stayed fairly constant?

4. At what times was the temperature rising? Falling?

5. When did the greatest rate of change occur? When was the temperature rising most rapidly? When was the temperature falling most rapidly?

6. What was the average rate of change in temperature (include units) between midnight and 6 am? Between midnight and 3 am? Between midnight and 1 am? Between midnight and 12:30am? Between midnight and 12:15 am? Approximate the rate of change of the temperature at exactly midnight. (Very informal introduction to instantaneous rate of change).

**PHYSICS program or application available at : http://www.vernier.com/legacy/cbl/progs.html

BEST COPY AVAILABLE

TEMPERATURE OF A LIGHT BULB

The purpose of this experiment is to record the temperature of a light bulb for the first 10 seconds after it is turned on.

EQUIPMENT: TI-83Plus, CBL, temperature probe, PHYSICS program or application, link cord, light bulb, electrical socket.

DATA COLLECTION:

1. Securely join the TI-83 Plus and the CBL with the black link cord. Turn on the CBL. Insert the temperature probe into Channel 1.
2. Execute the Physics Program or Physics Application (Vernier).
3. Choose the TEMPERATURE probe.
4. Choose TIME GRAPH with TIME BETWEEN SAMPLES as .1 seconds and NUMBER OF SAMPLES as 100.
5. Place the temperature probe on the light bulb and press ⊆ to start the data collection.

DATA ANALYSIS:

1. Compute the average rates of change of the temperature from 0 to 2 seconds, from 2 to 4 seconds, from 5 to 8 seconds, from 5 to 10 seconds, and from 0 to 10 seconds. (Include units.)
2. What do you notice about all these rates of change?
3. What was the initial temperature of the probe when the light bulb was turned on.?
4. Find an equation which fits the temperature data well. y = _____
5. Enter your equation into Y1 and compare the graphs. Make necessary adjustments to your equation.
6. Use your equation to estimate the temperature of the bulb 25 seconds after it is turned on. Explain.
7. Can you use your equation to estimate the temperature of the bulb 5 minutes after it is turned on? Explain.
8. If you can only keep your finger on the bulb until it reaches 130°F, how much time will elapse before you need to remove your finger?
9. Store L1 in L3, by pressing ψ ℵ ⌟ ψ ℜ
10. Go to L3 and delete the first entry in L3, by pressing ⊆; then – to the first entry in L3 and press {.
11. Compute delta(L2)/delta(L1):
    – to the label at the top of L4 and press ψ , – over to OPS and press ← ψ ℑ / ∞.
    Repeat the process again: ψ , – over to OPS and press ← ψ ℵ / ⊆.
12. Look at the data in L4. What do you notice about those values?
13. Turn on a StatPlot of L4 (y-axis) vs. L3 (x-axis). (Rate of change vs. Time).
    What are the units on the y-axis?
    What are the units on the x-axis?
    Trace on the StatPlot. What do you notice about the y-values?
    How do those values fit with the equation that you found?

M & M TOSS ACTIVITY

In this experiment, you will toss m & m's from a styro cup and count the number of m & m's with the **m** showing upward. You may eliminate (in any way you wish) the m & m's which are **m down**. Then take the remaining m & m's, toss and count the **m's up** again. Repeat the process until all the m & m's are eliminated. You will then find an equation which fits your data. You will also analyze the rate of change function.

MATERIALS: about 80 m & m's per group, 2 styro cups per group, 1 plastic sandwich bag for each student
(proper m & m hygiene)

DATA COLLECTION:

1. Count the number of m & m's you have in your cup. Make sure they all have an **m** on one side. If you have any blanks, dispose of them and do not count them. Enter the total number in the **NUMBER OF m & m's UP** column below for **TOSS #0.** (Chart is located on the back side of this sheet.) Leave the **NUMBER OF m & m's DOWN** column empty for Toss #0.

2. **TOSS #1**
   Place the m & m's in the styro cup and shake them up well. Pour them out on the desk and count the number of m & m's with the **m up**. Record this number in the **NUMBER OF m & m's UP** for **TOSS #1**. Count the number of m & m's which do not have an m up, record that number in the **NUMBER OF m & m's DOWN** column, and then remove those m & m's by any method you prefer.

3. **TOSS #2**
   Place all the remaining m & m's in the styro cup again. Repeat the shaking, pouring and counting m's up processes. Record the number in the **NUMBER OF m & m's UP** column and the **NUMBER OF m & m's DOWN** column below for **TOSS #2**.

4. Repeat the whole process until all the m & m's are gone.

DATA ANALYSIS:

1. Enter **TOSS NUMBERS** in L1 and the **NUMBER OF m & m's UP** in L2. Enter the **TOSS NUMBERS** in L3 omit **TOSS #0** this time. Enter the **NUMBER OF m & m's DOWN** in L4.

2. Turn on a StatPlot of L2 (y-axis) vs. L1 (x-axis) (NUMBER OF m & m's UP vs. TOSS #)

3. Can you find the equation of a LINE which fits your data WELL? Why or why not?

4. Examine the situation from a theoretical standpoint:

   How many m & m's did you start with? _____

   On the first toss, how many m & m's would you **EXPECT** to be **m up**? _____

   On the second toss, how many m & m's would you **EXPECT** to be **m up**? _____

   On the third toss, how many m & m's would you **EXPECT** to be **m up**? _____

   On the sixth toss, how many m & m's would you **EXPECT** to be **m up**? _____

   On the tenth toss, how many m & m's would you **EXPECT** to be **m up**? _____

   On the **xth** toss, how many m & m's would you **EXPECT** to be **m up**? _____

BEST COPY AVAILABLE

5. Write an equation (not linear) which describes the relationship between the **NUMBER OF m & m's UP (y)** and the **TOSS NUMBER (x)** for your data.

y = _____

6. Generate an x/y chart below using your equation in #5. (Chart at right below.)

7. Enter the equation from #4 in Y1.

8. How well does the equation fit the data you collected experimentally? How close are the two graphs?

EXPERIMENTAL DATA:

TOSS #	NUMBER OF m&m's UP	NUMBER OF M & m's DOWN
0		
1		
2		
3		
4		
5		
6		
7		
8		

EQUATION PREDICTIONS:
(See next page for chart)

ANALYZING THE RATE OF CHANGE FUNCTION:

9. Examine the entries in the **NUMBER OF m & m's DOWN** COLUMN. This column represents the ***DECREASE—THE RATE OF CHANGE*** **IN THE NUMBER OF m & m's UP.** By examining the numbers in that column, what conclusions can you draw about the rate at which the m & m function is changing?

10. Do you expect the rate of change function to be linear? Explain why or why not.

11. Turn on a StatPlot of L4 (y-axis) vs. L3 (x-axis). (AMOUNT OF CHANGE vs. TOSS NUMBER)

12. What are the units on the y-axis? On the x-axis?

13. Which family of functions does the rate of change function appear to belong to?

BEST COPY AVAILABLE

TOSS #	NUMBER OF m&m's UP	NUMBER OF M & m's DOWN
O		
1		
2		
3		
4		
5		
6		
7		
8		

SUGGESTIONS FOR OTHER DATA ANALYSIS ACTIVITIES:

Possible areas of emphasis – depending on the grade and level of math class:

- Graph of original data.
- Identifying the parent function type which best fits the original data.
- Answering practical questions related to the data.
- Graph of the rate of change function.
- Units of the rate of change function.
- Identifying the parent function type of the rate of change function.
- Making a connection between the parent function type and the rate of change function type.
- Making connections between the graphs of the parent function and the rate of change function:
  - Original data increasing ? rate of change function is positive.
  - Original data decreasing ? rate of change function is negative.

1. Daily/weekly/monthly changes of the Dow Jones Industrial Index.
2. Weights of pennies (pre-1983, post-1983).
3. Population: World/US/City. – Good Internet Search problems.
4. Height of amaryllis plants. (Logistic function.)
5. Number of cars on the school parking lot from 30 minutes before school begins to 30 minutes after school begins. Summarize data in 5 minute intervals. (Logistic function.)
6. POOL CBL Activity – Real World Math Book
7. Weight of a water bottle as it drains.
8. Rate of change (velocity) of a ball as it bounces; Speed of a ball as it bounces.
9. Any type of data which interests the students or which they can use/have used for a report in another class.

FAMILIES OF FUNCTIONS ACTIVITIES

1. PARENT FUNCTION CALISTHENICS

2. HUMAN GRAPHING

Use adding machine paper to mark off 2 sets of coordinate axes on the floor. (Make each unit approximately 2 feet in width.)

Divide the class into groups of 7students. Assign each student an integer from –3 to +3, inclusive.
(For the trig functions, you will need groups of 9 students and assign values of - , -3 /4, - /2, - /4, 0, /4, /2, 3 /4, .)

Then have each group pair up with another group. One group will model the parent function and the other will model the rate of change function.

Call off the equation of a parent function and have the parent function groups arrange themselves to form the graph of that equation.

For example:

$y = x^2$



After the equation is modeled correctly, have the rate of change group stand on the x axis of the second adding machine coordinate system.

Beginning with x = -3, each student from the original function group calls out how many units her y-value has increased or decreased from the student on her left. Then the x = -3 student in the rate of change group should move off the x-axis to that y-coordinate. Then repeat the process with x = -2, -1, 0, 1, 2, 3.



Which parent function type would seem to be a good model for the rate of change function?
(Don't have them find the actual equations of the rate of change functions is you are trying to make an immediate connection to the derivative. You are working with the <u>average</u> rate of change here, not the <u>instantaneous</u> rate of change.)

Do you see any patterns in the amounts of change? Is the actual amount of change constant? Increasing? Decreasing?

<u>2ND Example:</u> $y = |x|$

Parent function:



Rate of change function:



BEST COPY AVAILABLE

3. USING dy/dx TO VISUALIZE THE *INSTANTANEOUS* RATE OF CHANGE.

Enter an equation into Y1. Ex: $Y1 = x^3 + x^2 - 6x$. Set an appropriate window so that a complete graph is visible.

Use the CALC Menu to compute the rate of change at a particular x-value:

Press ψ ρ and to ÷ and press ⊆.

Type in the x-value where you want to find the rate of change. Then press ⊆ again.



Then ask the students what dy/dx = -5 really means. "When x = -1, y is decreasing by 5 units." Be sure to note x values where horizontal tangents would occur.

Students can calculate the rate of change at several integral values for x and then graph the RATE OF CHANGE vs. the X.

PARENT FUNCTIONS & RATE OF CHANGE FUNCTIONS – PAGE 1

FUNCTION TYPE	***GRAPH***	***RATE OF CHANGE FUNC.***
CONSTANT $y = k$ Domain: all Reals Range: k		
LINEAR $y = mx + b$ Domain: all Reals Range: all Reals		
QUADRATIC $y = x^2$ Domain: all Reals Range: y 0		
CUBIC $y = x^3$ Domain: all Reals Range: all Reals		
SQUARE ROOT y = ♣x Domain: x 0 Range: y 0		
CUBE ROOT y = ^{3}♣x Domain: all Reals Range: all Reals		

BEST COPY AVAILABLE

PAGE 2

FUNCTION TYPE	*GRAPH*	*RATE OF CHANGE*
ABSOLUTE VALUE $y = \lvert x \rvert$ Domain: all Reals Range: y 0		
EXPONENTIAL $y = b^x, b > 0$ Domain: all Reals Range: $y > 0$		
LOGARITHMIC $y = \log_b x, b > 0$ Domain: $x > 0$ Range: all Reals		
SINE $y = \sin x$ Domain: all Reals Range: -1 y 1		
COSINE $y = \cos x$ Domain: all Reals Range: -1 y 1		
TANGENT $y = \tan x$ Domain: Range: all Reals		

BEST COPY AVAILABLE

SE015458

U.S. Department of Education
Office of Educational Research and Improvement (OERI)
National Library of Education (NLE)
Educational Resources Information Center (ERIC)

ERIC

REPRODUCTION RELEASE

(Specific Document)

I. DOCUMENT IDENTIFICATION:

Title: Understanding Rates of Change

Author(s): AURELIA K. WEIL and LARRY RUSSELL

Corporate Source: COR JESU ACADEMY

Publication Date: 2002

II. REPRODUCTION RELEASE:

In order to disseminate as widely as possible timely and significant materials of interest to the educational community, documents announced in the monthly abstract journal of the ERIC system, *Resources in Education* (RIE), are usually made available to users in microfiche, reproduced paper copy, and electronic media, and sold through the ERIC Document Reproduction Service (EDRS). Credit is given to the source of each document, and, if reproduction release is granted, one of the following notices is affixed to the document.

If permission is granted to reproduce and disseminate the identified document, please CHECK ONE of the following three options and sign at the bottom of the page.

The sample sticker shown below will be affixed to all Level 1 documents

PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL HAS BEEN GRANTED BY

TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)

1

Level 1 ☑

Check here for Level 1 release, permitting reproduction and dissemination in microfiche or other ERIC archival media (e.g., electronic) *and* paper copy.

The sample sticker shown below will be affixed to all Level 2A documents

PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL IN MICROFICHE, AND IN ELECTRONIC MEDIA FOR ERIC COLLECTION SUBSCRIBERS ONLY, HAS BEEN GRANTED BY

TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)

2A

Level 2A ☐

Check here for Level 2A release, permitting reproduction and dissemination in microfiche and in electronic media for ERIC archival collection subscribers only

The sample sticker shown below will be affixed to all Level 2B documents

PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL IN MICROFICHE ONLY HAS BEEN GRANTED BY

TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)

2B

Level 2B ☐

Check here for Level 2B release, permitting reproduction and dissemination in microfiche only

Documents will be processed as indicated provided reproduction quality permits.
If permission to reproduce is granted, but no box is checked, documents will be processed at Level 1.

I hereby grant to the Educational Resources Information Center (ERIC) nonexclusive permission to reproduce and disseminate this document as indicated above. Reproduction from the ERIC microfiche or electronic media by persons other than ERIC employees and its system contractors requires permission from the copyright holder. Exception is made for non-profit reproduction by libraries and other service agencies to satisfy information needs of educators in response to discrete inquiries.

Sign here, please

Signature: L Russell

Printed Name/Position/Title: LARRY RUSSELL / SCIENCE DEPT CHAIRPERSON

Organization/Address: Cor Jesu Academy

Telephone: 314 962 6964

FAX:

E-Mail Address: lgrussell@yahoo.com

Date: 10/18/02

III. DOCUMENT AVAILABILITY INFORMATION (FROM NON-ERIC SOURCE):

If permission to reproduce is not granted to ERIC, or, if you wish ERIC to cite the availability of the document from another source, please provide the following information regarding the availability of the document. (ERIC will not announce a document unless it is publicly available, and a dependable source can be specified. Contributors should also be aware that ERIC selection criteria are significantly more stringent for documents that cannot be made available through EDRS.)

Publisher/Distributor:
Address:
Price:

IV. REFERRAL OF ERIC TO COPYRIGHT/REPRODUCTION RIGHTS HOLDER:

If the right to grant this reproduction release is held by someone other than the addressee, please provide the appropriate name and address:

Name:
Address:

V. WHERE TO SEND THIS FORM:

Send this form to the following ERIC Clearinghouse:

However, if solicited by the ERIC Facility, or if making an unsolicited contribution to ERIC, return this form (and the document being contributed) to:

ERIC Processing and Reference Facility
4483-A Forbes Boulevard
Lanham, Maryland 20706

Telephone: 301-552-4200
Toll Free: 800-799-3742
FAX: 301-552-4700
e-mail: info@ericfac.piccard.csc.com
WWW: http://ericfacility.org

EFF-088 (Rev. 2/2003)